



Tel: 02 80655614
1300 213 589
www.mir-aus.com.au
info@mir-aus.com

INSTALLATION INSTRUCTIONS FOR EPSON 200 / 220 / 252 REFILLABLE CARTRIDGES

INSTALLATION INSTRUCTIONS FOR EPSON 200 / 220 / 252 REFILLABLE CARTRIDGES

This version of the refillable cartridges comes with refilled cartridges and Auto reset chips. You just need to fill the cartridges and print! The whole Operation is very easy. It's really an effective tool to save your money.

How to refill the Epson inkjet printer cartridges:



1 - Remove the ink plug
(colored rubber plug matching the
Ink color) from the cartridge.



2 - Use a syringe to fill in the
Cartridge with 10-12 milliliters of ink.



4 - Continue filling with syringe.



5 - Re-insert the colored ink plug into
the ink-refill hole.



6 - Remove the clear plug
From the cartridge and leave it
Open at all time.




*If the plugs on top of th cartridges
Are next to each other, you need to
Prime the cartridges with prime tool
As shown in the pictures.*

Please note:

**After install the refillable cartridges, never remove the cartridge
Until printer say that cartridge it's empty.
(if you remove it before that massage, printer will confuse.)
Same as original cartridges you NEVER change the cartridge(s)
When you have "ink is running low massage" with a new original cartridge.**

"A" Reset point

**"B" You can NOT reset the cartridge,
you have to wait until printer says cartridge is empty
(never try to reset the cartridge in this point)**



1. Keep out of reach of children. Seek medical advice if taken.
2. Avoid exposure to direct sunshine and don't keep it at high or Freezing temperatures.
3. Avoid Knocks and bumps.
4. This product is designed to operate within 10-40 degrees Celsius.
5. The refillable cartridges has passed strict compatibility check, so we suggest Using our ink and cartridges to maintain printer quality.
6. Mixing two different brands of ink into the refillable cartridges is not recommended

**YOU ARE NOW READY TO PRINT WITH
MIR-AUS REFILLABLE CARTRIDGES!**

**For more information and technical support
Please contact us at any time.
02-80655614 / 1300-213-589**